


\$3.00



MOBILE AUDIO 12 & 16 VOLT
AGM BATTERIES, ALTERNATORS, & ACCESSORIES
2008 CATALOG



THE UNDISPUTED CHAMPS
OF
MOBILE AUDIO



XS POWER USERS



CHAMPIONS OF THE EXTREME CUP

WINNERS USE XS POWER!

XS Power equipped vehicles racked up more than 10 World Titles and Championships in their introductory year in competition!

Extreme Division

Alan Dante – Powered by XS Power, Alan dominated the 2007 dB Drag world finals. Never before has one man been able to win his division, emerge victorious from the death match, and claim the extreme cup by setting a new overall world record (179.7dB) in the same event. Alan achieved this with only 15 XS Power batteries as compared to his competition using up to 140 batteries of different brands.

Super Street Division

Scottie Johnson – As a veteran competitor, Johnson realizes the importance of a great foundation. A solid bank of batteries is a necessity when building a competitive SPL vehicle. His 1995 Chevy Astro was built with one goal in mind... breaking records! Johnson was able to achieve this goal in November of 2006 by posting an amazing 169.5db in a stock cabin vehicle. This achievement comes after a long list of previous broken records and world titles.

Bass Race / Bass Boxing


Tommy Mckinnie – Averaging an earth shattering 159.5dB musically over a 30 second period, Mckinnie defeated all challengers at the 2007 dB Drag World Finals. Using less than half as many batteries as the next closest competitor, Tommy was able to average a higher score even after his windshield shattered beyond recognition! Mckinnie also slayed the competition at the 2007 IASCA World Finals by bringing home the Bass Boxing heavy weight title belt.

Street Beat

Steve Meade – Known for his multitude of crazy bass video's, Meade has amazed bystanders with his Tahoe's ability to create pressure like none have ever felt. Using only seven (7) XS Power batteries, Meade is able to achieve insane bass proven to wreak havoc on the human body; causing loss of breath, unexpected muscle reactions, and even the loss of a prosthetic eye of one observer!



HERE'S WHY XS POWER IS THE CHOICE OF CHAMPIONS!




XS POWER IS THE CLEAR ADVANTAGE!

Specs subject to change. See www.xspowerbatteries.com for latest info.

PN:: D1000
UNPARALLELED 16V PERFORMANCE

- AGM Technology
- Longer Life
- Fast Charge Capability
- Vibration Resistant
- Rugged ABS Case
- Included SAE Post Terminals & 3/8 in. Bolts
- 1" shorter than other 16 Volt batteries



POSTS INCLUDED!

TECH NOTE:

Powering your system with 16 Volts can increase the output of your amplifiers by as much as 40%.

**Powermaster uses BCI test standards that are more strict than what other manufacturers use. For a clear comparison, see chart on opposite page.*

D1000:: SPECS

Weight lbs.	Weight kgs.	Length	Width	Height	MAX Amps	RC	*CA@0°C
46.50	21.14	10.24in	6.4in	7.2in	2400	84	675

Specs subject to change. See www.xspowerbatteries.com for latest info.

Ultra Low Internal Resistance:
XS Power batteries design allows for extreme amounts of discharge current, as well as super fast recovery and recharge rates. Ideal when you want to add that extra boost for your stereo without having to upgrade the entire electrical system!



PN:: 1004
16V AGM IntelliCHARGER

- 16V AGM Compatible
- 20A Max output
- Two charging modes
- LED indicators, and ammeter to monitor status
- 6' heavy duty cables w/clamps
- Built-in cooling fan for reliability
- Compact size, only 16 lbs.
- Reverse Polarity Protection

How does the IntelliCHARGER work?

XS Power chargers use a high-tech microprocessor to charge quickly, completely, and safely. In the first mode, also known as "bulk" charging, the IntelliCHARGER proceeds at a fixed amperage regardless of the battery's state. The charger monitors the voltage per cell and when a user-selected level is met, the charger moves to the second mode, which is constant voltage. IntelliCHARGERS have switches on the front panel to allow the end user to select a monitored voltage. It is important that the battery type and what is set on the switch match.

In constant-voltage mode or "absorption" charging, the voltage is locked and the amperage is allowed to float down. Patented algorithms are employed to equalize all the battery cells during the absorption-charging phase.

Lastly, the third phase is called "float" charging. Float mode drops the voltage output to a level that will safely maintain the battery indefinitely.

CC/CV chargers are definitely the way to go for car audio use, as they safely charge and maintain batteries for the longest possible life. Performing quickly when needed, maintaining batteries in storage, and fully automatic at doing both jobs, XS Power IntelliCHARGERS do it all.

PN:: 1005
12V/16V AGM IntelliCHARGER

- 12V and 16V AGM Compatible
- 25A Max output
- Three charging modes
- LED indicators, and ammeter to monitor status
- 6' heavy duty cables w/clamps
- Built-in cooling fan for reliability
- Compact size, only 24 lbs.
- Reverse Polarity Protection





PN:: D2700

Nearly 70 pounds of pure amperage!

- Conforms to Group 27 BCI standards for many Acura, Dodge, Honda, Isuzu, and Nissan
- Provides major output for starting power, audio, multimedia systems, and more
- Largely popular among many car audio world champions and enthusiasts
- Can easily power systems up to 3000 watts when used as the main battery
- Great supplemental battery for 4000-5000 watt systems
- 3-year warranty

D2700:: SPECS

Weight lbs.	Weight kgs.	Length	Width	Height	MAX Amps	Ah
67.46	30.60	12.09in	6.65in	8.31in	2500	103

Specs subject to change. See www.xspowerbatteries.com for latest info.



DON'T FORGET THE POSTS!

PN:: 580
12V "SHORT" STYLE SAE POST



Steve Cooke's Avalanche w/ five D2700's

10 Year Design Life:
Built to last, the XS Power Batteries have the ability to stand the test of time. Engineered to provide 10+ years of float service and to endure more than 1000 discharge/recharge cycles depending on the average depth of discharge.

PN:: D3100

When going to the extreme is a must!

- The Preferred battery of the champions!
- Capable of delivering an astounding 3,200 amps of current
- Provides major output for starting power, audio, multimedia systems, and more
- Fits BCI group 31 applications utilized in many large trucks, busses and motor coaches
- Can easily power systems up to 4000 watts when used as the main battery
- Great supplemental battery for 5000+ watt systems
- 3-year warranty

D3100:: SPECS

Weight lbs.	Weight kgs.	Length	Width	Height	MAX Amps	Ah
77.16	35.00	13.03in	6.89in	8.43in	3200	117

Specs subject to change. See www.xspowerbatteries.com for latest info.

